



# LIFTBOY 1/2/3

VERTICAL PLATFORMLIFT

# LIFTBOY 1/2/3

The vertical platform lift Liftboy 1/2/3 is an ideal lift system to comfortably overcome height differences up to 970 mm.

## Simple installation

The clever construction and the low weight allow a quick installation with minimal structural works necessary on site.

## Comfort

The Liftboy guarantees a quiet ride with optimal user comfort ensured by a stable and smooth lifting movement.

## Reliable

Designed for outdoor or indoor installation, the strong motor in combination with robust electronics ensure a reliable and low-maintenance performance.

The optional **safety bar** at the upper level serves as fall protection



**Outdoor installation** for temporary or permanent use



**Handset** on spiral cable for comfortable control on the platform

HINT

Test our **3D Liftboy configurator** on our website




## Available options


- Coating in any RAL colour
- Indoor and outdoor installation
- Version for public buildings
- Gate at upper landing
- Safety bar on the platform
- Transport wheels for mobile version
- Extra long access ramp
- 90° entry-exit
- External control (hard wired or radio controlled)
- Installation in a pit



Version with **door at upper landing, high barriers and control pillar**



Optional: **Door at upper landing with electric lock** and a control pillar for public buildings




Optional: **Manual access ramp** folds down when unit is lifting and creates a barrier against rolling off



Optional: **Transport wheels** ideal for different places of use

## Liftboy 1/2/3 – Technical specifications

	Liftboy 1	Liftboy 2/3
Lifting height	595 mm	830/970 mm
Load capacity	180 kg	300/240 kg
Lifting speed	10 mm/s	10 mm/s
Minimum height of platform	100 mm	120/135 mm
Drive system	24 V actuator with scissor mechanism	24 V actuator with scissor mechanism
Inner dimensions	713 x 1170 mm	800 x 1495 mm
Outer dimensions	810 x 1180 mm	924 x 1505 mm
Power supply	1 x 230 V / 50-60 Hz	1 x 230 V / 50-60 Hz
Standard ramp	500 mm	500/750 mm
Basic colours	RAL 9007 RAL 7035	RAL 9007 RAL 7035





Platform stairlifts



Chair stairlifts



Vertical platformlifts



Stairclimbers



Poollift



Contact your dealer for further information:



Official partner of:



**Lehner Liftechnik GmbH**  
Salling 8  
4724 Neukirchen am Walde  
Austria  
+43 7278 35 14  
sales@lehnerliftechnik.at  
www.lehner-liftechnik.at

Visit our website for more details about this lift

